

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

(19) 日本国特許庁 (J P)

(12) 公開実用新案公報 (U)

(11) 実用新案出願公開番号

実開平4-117618

(43) 公開日 平成4年(1992)10月21日

(51) Int. Cl.	識別記号	庁内整理番号	F I	技術表示箇所
A 6 1 F 13/15				
A 4 1 B 13/04		2119-3B		
A 6 1 F 5/44		H 7807-4C		
		2119-3B	A 4 1 B 13/02	M

審査請求 未請求 請求項の数2(全3頁)

(21) 出願番号 実願平3-27919

(22) 出願日 平成3年(1991)3月29日

(71) 出願人 000115108

ユニ・チャーム株式会社

愛媛県川之江市金生町下分182番地

(72) 考案者 松下 美智代

愛媛県伊予三島市村松町436



(74) 代理人 弁理士 白浜 吉治

(54) 【考案の名称】 使い捨てのブリーフ型着用品

(57) 【要約】 (修正有)

【目的】 使用後にコンパクトに丸めておくことができる使い捨てのブリーフ型着用品の提供。

【構成】 腰周り両側の外側に位置するシート部材自由端部8、9または保持部10、11に粘着刺傷布部12を設ける。ブリーフは使用後にコンパクトに丸め、形崩れしないように粘着刺傷布部を利用して止めておくことができる。ブリーフの廃棄は排泄物が漏れることなく衛生的であり、スペースをとることもない。



【実用新案登録請求の範囲】

【請求項1】 少なくとも腹側と背側のシート部材からなり、該両シート部材を互いに接合することにより腰周り両側に接合線が形成してある使い捨てのブリーフ型着用物品において、前記接合線の外側に前記各シート部材の自由端部が適宜の幅を有して位置し、該自由端部の少なくとも一部には粘着剤塗布部が設けてあることを特徴とする前記ブリーフ型着用物品。

【請求項2】 前記自由端部には、前記接合線に沿って前記着用物品を腹側と背側とに切り開くための摺持部を設け、該摺持部が前記粘着剤塗布部を兼ねていることを特徴とする請求項1記載のブリーフ型着用物品。

【図面の簡単な説明】

【図1】 この考案に係る使い捨てブリーフの正面図(A)と斜視図(B)。


【図2】 ブリーフを丸める過程を示す斜視図。

【図3】 粘着剤塗布パターンを示す平面図。


【符号の説明】

- | | |
|--------|------------|
| 1 | ブリーフ（着用物品） |
| 3 | 腹側シート部材 |
| 4 | 背側シート部材 |
| 5 | 接合線 |
| 8, 9 | 自由端部 |
| 10, 11 | 摺持部 |
| 12 | 粘着剤 |

【図1】




【図2】




(23)


(F)




(G)



(H)



(I)



Translation of Japanese Unexamined Utility Model Application H4-117618

(19) Japanese Patent Office (JP)

(12) LAID OPEN UTILITY MODELS GAZETTE (U)

(11) Unexamined Utility Model Application No. H4-117618

(43) Laid open October 21, 1992

(51) Int. Cl. ⁵	Identification Code	Internal Office Filing No.	FI	Technical Display Location
A 61 F	13/15			
A 41 B	13/04	2119-3B		
A 61 F	5/44	H 7807-4C		M
		2119-3B	A41B	13/02

Examination request Not requested

Number of claims 2

(Total of 3 pages [in the original])

(21) Application number Utility Model Application No. H3-27919

(22) Application date March 29, 1991

(71) Applicant 000115108
Uni-Charm K.K.
182 Shimowake, Kinsho-cho, Kawanoe-shi, Ehime-ken

(72) Designer M. Matsushita
436 Muramatsu-cho, Iyo Mishima-shi, Ehime-ken


(74) Representative Patent attorney Y. Shirahama

(54) [Title of the design] Disposable briefs-type clothing article

(57) [Abstract] (Amended)

[Aim] The provision of a disposable briefs-type clothing article which can be rolled compact after use.

[Constitution] Pressure-sensitive adhesive-coated parts 12 are provided on the free ends 8, 9 or pull tabs 10, 11 of a sheet member, which are positioned on the outside of the waistband on both sides. The briefs can be rolled compact after use and the pressure-sensitive adhesive-coated parts can be fastened to prevent subsequent loss of shape. The disposal of the briefs is hygienic in that waste matter does not leak, and the briefs do not take up space.



[Scope of the claims of the utility model registration]

[Claim 1] A disposable briefs-type clothing article comprising at least an abdomen-facing sheet member and a back-facing sheet member, and having a joining line formed on both sides of the waistband by the joining together of said two sheet members, wherein the free ends of said sheet members are positioned so that there are suitable widths thereof on the outside of said joining line, and pressure-sensitive adhesive-coated parts are provided on at least part of said free ends.

[Claim 2] The disposable briefs-type clothing article as claimed in claim 1, wherein pull-tabs are provided on said free ends, for opening out said clothing article by separating the abdomen-facing sheet and the back-facing sheet along said joining line, and said pull tabs also act as said pressure-sensitive adhesive-coated parts.

[Brief description of the drawings]

Figure 1 shows a front view (A) and an oblique view (B) of the disposable briefs of the design.

Figure 2 is an oblique view showing the brief-rolling process.

Figure 3 is a front view showing pressure-sensitive adhesive-coating patterns.

[Figure legend]

- 1 Briefs (clothing article)
- 3 Abdomen-facing sheet member
- 4 Back-facing sheet member
- 5 Joining line
- 8, 9 Free ends
- 10, 11 Pull tabs
- 12 Pressure-sensitive adhesive

Figure 1




Figure 2




Figure 3

